52562/19

## The Virtues and Use of that Excellent and Approved Cordial Drink formerly Published by the name of Kolmacho.

Appetite, helps Digestion, opens Obstructions; and gently, yer effectually, purges Flegme, Choller, Melancholly, purifies the Blood, provokes Urine, sweetens the Breath clears the Voice, gives a fair and lively Colour to the Face; and is generally useful in all Diseases

that proceed from a Cold Cause.

This Cordial Drink (by Gods blessing) preserves Health; and hath by the Experience of many been proved a most effectual and present Remedy for Pains or Sickness at the Stomach, Nausea, Surfeits, Vomiting and Gripes; Wind and Cholick; and is also very beneficial to such as are afflicted with the Stone or Gravel; Agues, Scurvy, Dropsie, Green Sickness, frequent Swoonings, Phthisick, or Difficulty of Breathing, Catarrhs; and Worms in Children or grown Persons.

Many that have been seized with Fevers (when that Distemper has been Epidemical) by taking 3 or 4 Spoonfuls of this Cordial immediately, and the like quantity the next day at night, or when the first Fit was over, have been perfectly recovered, and about their business again in 3 or 4 dayes time. And in the

first

The state of the s E.

other Distempers the me of the

Drink hath had success beyond expectation.

This Excellent Medicament is not only pleasant to the Taste, but moreover so friendly to Nature, and safe in its Operation (which is by gentle Breathings, and Urine, as well as by Stoole) that any may follow their ordinary Occasions while they are making use of it; And it retaines its Virtue several years, and therefore may be greatly serviceable both by Sea, and in Foreign Plantations; and hath been so to many that have madeuse of no other Physick in their Voyages.

The Dose is 3, 4, or 5 Spoonfuls (according to the Strength and Constitution of the Patient) to be taken either at night going to bed, after a light Supper, or none at all; or in the morning; or one half at night and the other in the morning: But to take it overnight is most proper; howbeit in case of acute Distempers, 'tis to be taken at any time when the condition of the Patient requires it; as in the Cholick, &c. and in such cases two or there Spoonfuls is to be taken about 4 hours after the first Dose, if the pain be not eased sooner.

For some weak persons, or such as are very easily moved, two Spoonfuls may be enough to begin with, and they may increase the Dose as they see occasion; and that quantity may be safely given to a Child of 4 cars old. A Spoonful or two of this taken in a morning, is an excellent Preservative against Insection in a

sickly time. The price is 2 s. 6 d, the Half Pint.

